



FOSHAN CITY SUPER TECHNOLOGY CO., LTD

 ADD: No 9 ,Dowu Road,Jiangyi Industrial park,Leiliu Town,Shunde,Foshan,Guangdong,China

 WEB: www.sdjhl.com

 E-MAIL.: jhl@sdjhl.com

 TEL: +86-757-25522155 / 25521382 / 25521588



ORIGINAL EQUIPMENT MANUFACTURE

OVEN | RANGE HOOD | STOVE

KITCHEN ELECTRIC

PRODUCT

CompanyIntroduction




foshan city super Technology Co., Ltd is a professional manufacturer of small home appliances like range hood, fan, gas stoves and gas ovens. Our company is located in Foshan City, Guangdong Province which is an electric appliance manufacturing base in China. We are near Hong Kong, Macao and Guangzhou with convenient transportation by ship or bus.

Range hood is one of our best selling products. We specialize in different kinds of range hood, which is simple to use and of unique design. Excellent tempered glass is not only easy to clean but also elegant. Our stainless steel material is both strong and durable. 100% copper motor with strong suction, superior aluminum filter, 99% fume separation.

Our company owns a lot of experienced professional technicians and administrators, so our company has built up a strict quality control system and has passed the certification of "3C", "CE", "CB", "SGS", "SOCAP", "SASO". "High Grade, High Quality" are our principles. In these years, our products have been well exported to all over the world and received customers' well recognition.

Learn from the past, look to the future, our company continues developing new products, new technologies and new crafts. We are trying to provide wonderful products to customers. We warmly welcome new friends to cooperate with us and OEM orders are accepted. Welcome to visit our factory for better understanding and cooperation.

Contents

Oven	Stove	Range hood
		
03-11	12-34	36-42

1. Pay attention to cleaning when using the oven for the first time. Wipe the inside and outside of the oven with a clean damp cloth to remove some dust. Then you can use the high temperature to bake in an empty oven for a while, sometimes white smoke may appear, which is a normal phenomenon. Pay attention to ventilation and heat dissipation after baking.

2. The oven can be used normally after cleaning. Before baking any food, it is necessary to preheat to the specified temperature to meet the baking time on the recipe. It takes about 10 minutes to preheat the oven. If the oven is preheated for too long, it may also affect the service life of the oven.

3. Be careful of the oven being heated to avoid scalding. In addition to the internal high temperature, the shell and glass door are also very hot, so be careful when opening or closing the oven door to avoid being scalded by the glass door. When putting or taking out the baking tray, handle must be used. It is forbidden to touch the baking tray or baked food directly by hand. Do not touch the heater or other parts of the furnace chamber with

your hands to avoid scalding.

Many users turn off the range hood after only a few minutes of cooking, which can't play its role. The right way to use it is to turn it on at the beginning of cooking, and turn it off only after 5-6 minutes after the whole cooking. Here, because of natural gas or liquefied petroleum gas, when the range hood is out of service, as long as the nitrogen compound is burned for a few minutes, it will exceed the standard by five times, and the carbon monoxide gas can exceed the standard by more than 65 times. Therefore, in the process of cooking, the range hood should work all the way, rather than start and stop at the same time. As for cooking, the reason why you still need to work for a few minutes is to discharge the harmful gas left in the kitchen to the maximum extent, so as not to leave it in the kitchen, so as to prevent it from endangering human health.

1. The cooker is required to be installed in a well ventilated kitchen with a minimum distance of 1m from the steel cylinder, but the maximum length of the air inlet hose should not exceed 2m. No inflammables should be piled under and around the cooker.

2. The clear distance between the back of the stove and the wall shall not be less than 15 cm, and the clear distance between the side and the wall shall not be less than 20 cm; if the wall is inflammable material, a thermal insulation fireproof layer shall be pasted, and the excess of the fireproof layer shall not be less than 10 cm from both ends of the stove surface and the part below the stove, and the excess of the stove shall not be less than 80 cm.


3. The gap at the connection of air inlet pipe must be sealed. When connecting with rubber pipe, the rubber pipe must be put in place and clamped with clamp.



NEW



NEW




MODEL: JHL-L900
Five enamel burner caps:
3200W, 2400W*2, 1880W*2
Oven capacity: 95.6L
Oven power: 3980W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 950*675*840mm
40'HQ 124pcs



MODEL: JHL-L600
Four enamel burner caps:
2400W*2, 1800W*2
Oven capacity: 63L
Oven power: 3500W
Metallic thermograph
Tempered glass lid
Double warmer glass oven door
Packing size: 620*655*835mm
40'HQ 171pcs



MODEL: JHL-L600E
Three enamel burner caps:
3200W, 2400W, 1880W
One electrical hotplates:
1500w
Oven capacity: 63L
Oven power: 3500W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 640*670*870mm
40'HQ 171pcs



MODEL: JHL-L900E2
Four enamel burner caps:
3200W*2, 1800W*2
Two electrical hot plates:
1500W, 1000W
Oven capacity: 95.6L
Oven power: 3980W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 950*675*840mm
40'HQ 124pcs



MODEL: JHL-L600E4
Four electrical hotplates:
1500W*2, 1000W*2
Oven capacity: 63L
Oven power: 3500W
Double warmer glass oven door
Temperature controller
Packing size: 640*670*870mm
40'HQ 171pcs



NEW



MODEL: JHL-L500
Four enamel burner caps:
2400W*2, 1800W*2
Oven capacity: 51L
Oven power: 3500W
Metallic thermograph
Iron lid
Single warmer glass oven door
Packing size: 610*520*850mm
40'HQ 262pcs




MODEL: JHL-L500E
Three enamel burner caps:
3200W, 2400W, 1880W
One electrical hotplates:
1500w
Oven capacity: 51L
Oven power: 3500W
Metallic thermograph
Iron lid
Single warmer glass oven door
Packing size: 610*520*850mm
40'HQ 262pcs



MODEL: JHL-L500E4
Four electrical hotplates:
1500W*2, 1000W*2
Oven capacity: 51L
Oven power: 3500W
Metallic thermograph
Iron lid
Single warmer glass oven door
Packing size: 610*520*850mm
40'HQ 262pcs







MODEL: JHL-L900GE
Five burner caps: 1000W~2000W
Oven capacity: 95.6L
Double warmer glass oven door
Material: Black tempered glass
Mechanical knob control
With timer
(Double-glazed door)
Aluminum handle
1 Shallow baking pan, 1 Oven grid
Gas type: LPG / NG
Packing size: 950*675*840mm
40'HQ 124pcs




MODEL: JHL-L600GE
Four burner caps: 1000W~2000W
Oven capacity: 63L
Double warmer glass oven door
Material: Black tempered glass
Mechanical knob control
With timer
(Double-glazed door)
Aluminum handle
1 Shallow baking pan, 1 Oven grid
Gas type: LPG / NG
Packing size: 640*670*870mm
40'HQ 171pcs




MODEL: JHL-L905
Five copper gas burners:
3200W, 2400W*2, 1880W*2
Oven capacity: 95.6L
Oven power: 3980W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 950*675*840mm
40'HQ 124pcs




MODEL: JHL-906
Four copper gas burners:
3200W*2,1800W*2
2 electrical hot plates:
1500W,1000W
Oven capacity: 95.6L
Oven power: 3980W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 950*675*865mm
40'HQ 124pcs




MODEL: JHL-L906
Four copper gas burners:
3200W*2,1800W*2
Two electrical hot plates:
1500W,1000W
Oven capacity: 95.6L
Oven power: 3980W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 950*675*840mm
40'HQ 124pcs




MODEL: JHL-906E
Four copper gas burners:
3200W*2,1800W*2
Two electrical hot plates:
1500W,1000W
Oven capacity: 95.6L
Oven power: 3980W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 950*675*865mm
40'HQ 124pcs




MODEL: JHL-905
Five copper gas burners:
3200W, 2400W*2, 1880W*2
Oven capacity: 95.6L
Oven power: 3980W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 950*675*865mm
40'HQ 124pcs




MODEL: JHL-906
4 copper gas burners:
3200W*2, 1800W*2
2 electrical hot plates:
1500W, 1000W
Oven capacity: 95.6L
Oven power: 3980W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 950*675*865mm
40'HQ 124pcs




MODEL: JHL-835
Five sabaf gas burners:
3200W*2, 2400W
1880W*2
Oven capacity: 51L
Oven power: 3500W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 850*560*890mm
40'HQ 162pcs




MODEL: JHL-835
Four sabaf gas burners:
3200W*2, 2400W
1880W*2
Oven capacity: 51L
Oven power: 3500W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 850*560*890mm
40'HQ 162pcs




MODEL: JHL-905E
Four copper gas burners:
3200W*2, 1800W*2
electrical hot plates: 1500W
Oven capacity: 95.6L
Oven power: 3980W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 950*675*865mm
40'HQ 124pcs



MODEL: JHL-906E
Four copper gas burners:
3200W*2, 1800W*2
Two electrical hot plates:
1500W, 1000W
Oven capacity: 95.6L
Oven power: 3980W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 950*675*865mm
40'HQ 124pcs




MODEL: JHL-835E
Five sabaf gas burners:
3200W*2, 2400W
Electrical hot plates: 1000W
Oven capacity: 51L
Oven power: 3500W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 850*560*890mm
40'HQ 162pcs



MODEL: JHL-835
Five sabaf gas burners:
3200W*2, 2400W
1880W*2
Oven capacity: 51L
Oven power: 3500W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 850*560*890mm
40'HQ 162pcs



MODEL: JHL-835
Four sabaf gas burners:
3200W*2, 2400W
1880W*2
Oven capacity: 51L
Oven power: 3500W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 850*560*890mm
40'HQ 162pcs



MODEL: JHL-835E
Five sabaf gas burners:
3200W*2, 2400W
Electrical hot plates: 1000W
Oven capacity: 51L
Oven power: 3500W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 850*560*890mm
40'HQ 162pcs





MODEL: JHL-710
Four copper gas burners:
2400W*2
1880W*2
Oven capacity: 63L
Oven power: 3500W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 640*670*870mm
40'HQ 171pcs



MODEL: JHL-710E
Three sabaf gas burners:
3200W,2400W,1880W
One electrical hotplates:
1500w
Oven capacity: 63L
Oven power: 3500W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 640*670*870mm
40'HQ 171pcs



MODEL: JHL-L600
Four copper gas burners:
2400W*2,1800W*2
Oven capacity: 63L
Oven power: 3500W
Metallic thermograph
Tempered glass lid
Double warmer glass oven door
Packing size: 620*655*835mm
40'HQ 171pcs



MODEL: JHL-L600E
Three sabaf gas burners:
3200W,2400W,1880W
One electrical hotplates:
1500w
Oven capacity: 63L
Oven power: 3500W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 640*670*870mm
40'HQ 171pcs



MODEL: JHL-710E2
Two copper gas burners:
2400W,1800W
two electrical hotplates:
1500W,1000W
Oven capacity: 63L
Oven power: 3500W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 640*670*870mm
40'HQ 171pcs



MODEL: JHL-710E4
Four electrical hotplates:
1500W*2,1000W*2
Oven capacity: 63L
Oven power: 3500W
Double warmer glass oven door
Temperature controller
Packing size: 640*670*870mm
40'HQ 171pcs



MODEL: JHL-L600E2
Two copper gas burners:
2400W,1800W
two electrical hotplates:
1500W,1000W
Oven capacity: 63L
Oven power: 3500W
Pulse ignition
Double warmer glass oven door
Temperature controller
Packing size: 640*670*870mm
40'HQ 171pcs



MODEL: JHL-L600E4
Four electrical hotplates:
1500W*2,1000W*2
Oven capacity: 63L
Oven power: 3500W
Double warmer glass oven door
Temperature controller
Packing size: 640*670*870mm
40'HQ 171pcs



MODEL: JHL-L500
Four copper burners:
2400W*2,1800W*2
Oven capacity: 51L
Oven power: 3500W
Metallic thermograph
Iron lid
Single warmer glass oven door
Packing size: 610*520*850mm
40'HQ 262pcs



MODEL: JHL-L500E
Three sabaf gas burners:
3200W,2400W,1880W
One electrical hotplates:
1500w
Oven capacity: 51L
Oven power: 3500W
Metallic thermograph
Iron lid
Single warmer glass oven door
Packing size: 610*520*850mm
40'HQ 262pcs



MODEL: JHL-510
Four copper gas burners:
1800W*2,1200W*2
Oven capacity: 51L
Oven power: 2630W
Tempered glass lid
Double warmer glass oven door
Packing size: 480*560*870mm
40'HQ 286pcs



MODEL: JHL-510E
Three sabaf gas burners:
3200W,2400W,1880W
One electrical hotplates:
1500w
Oven capacity: 51L
Oven power: 2630W
Tempered glass lid
Double warmer glass oven door
Packing size: 480*560*870mm
40'HQ 286pcs



MODEL: JHL-L500E2
Two copper gas burners:
2400W,1800W
two electrical hotplates:
1500W,1000W
Oven capacity: 51L
Oven power: 3500W
Metallic thermograph
Iron lid
Single warmer glass oven door
Packing size: 610*520*850mm
40'HQ 262pcs




MODEL: JHL-L500E4
Four electrical hotplates:
1500W*2,1000W*2
Oven capacity: 51L
Oven power: 3500W
Metallic thermograph
Iron lid
Single warmer glass oven door
Packing size: 610*520*850mm
40'HQ 262pcs



MODEL: JHL-510E2
Two copper gas burners:
2400W,1800W
two electrical hotplates:
750W,1000W
Oven capacity: 51L
Oven power: 3500W
Tempered glass lid
Double warmer glass oven door
Packing size: 480*560*870mm
40'HQ 286pcs



MODEL: JHL-510E3
Four electrical hotplate:
750W*2,1000W*2
Oven capacity: 51L
Oven power: 2630W
Tempered glass lid
Double warmer glass oven door
Packing size: 480*560*870mm
40'HQ 286pcs



MODEL: JHL-BEO300



MODEL: JHL-BEO200



FEATURE


- Material: Black tempered glass
- Mechanical knob control
- Oven 3 programs
- Capacity: 80 L
- Oven lamp:1x25 W
- 120 min timer with audible alarm and auto shut off
- Integral cooling fan system (Double-glazed door)
- Aluminum handle
- 1 Shallow baking pan, 1 Oven grid
- Oven with thermostat and safety
- Adjustable temperature
- Gas type: LPG / NG
- Upper gas burner: 1600W
- Bottom gas burner: 2200W

OPTIONAL FEATURE

- Configurations**
- Rear fan (6 programs)
- Accessories**
- Rotisserie
 - Removable double /triple-glazed glass door
- Knob**
- 2 knobs /3 knobs
- Oven grill**
- upper electric + bottom gas
 - upper + bottom gas
 - upper + bottom electric

DIMENSION

- Product size(mm)**
595*547*595
- Built-in size(mm)**
572*500*590
- Carton size(mm)**
635*570*640
- Loading capacity**
20GP:108 pcs
40GP: 216 pcs
40HQ: 288 pcs



MODEL: BH501S



MODEL: BH502S



MODEL: BH503S



MODEL: BH504G




MODEL: BH505G



MODEL: BH506G

FEATURE	OPTION
S#201 stainless steel cooktop	Panel material:#201/#304 S.S
Cast iron pan support	Pan support: Heavy Cast iron/Slim copy Cast iron /Enamel
Chinese Sabaf Burner	Original Italian SABAF
Triple Ring Wok Burner x1(3.3kW)	Burner caps: Shiny/matt enamel
Rapid Burner x1(2.5kW)	Ignition: A.C(110V~220V)/D.C1.5V
Semi Rapid Burner x2 (1.75kW)	Control knob: Bakelite/ Metal
Auxiliary Burner x1(1.0kW)	Gas type: L.PG /N.G /T.G
Flame failure safety device option	Flame failure device: with/without
Battery Ignition (DC 1.5V)	with Wok support
Metal control knob	
Gas Type: L.P.G	

MODEL	DIMENSION (MM)			LOADING QUANTITY(PC)		
	UNIT	BUILT-IN	CARTON	40HQ	40GP	20GP
JHL.BH501S	730*475*4-R20	730*475*4-R20	730*475*4-R20	890	700	365
JHL.BH502S						
JHL.BH503S						
JHL.BH504G						
JHL.BH505G						
JHL.BH506G						





MODEL: BH507S



MODEL: BH508S



MODEL: BH509SE



MODEL: BH510S



MODEL: BH511GE



MODEL: BH512G


FEATURE

S#201 stainless steel cooktop
Cast iron pan support
Chinese Sabaf Burner
Triple Ring Wok Burner x1(3.3kW)
Rapid Burner x1(2.5kW)
Semi Rapid Burner x2 (1.75kW)
Auxiliary Burner x1(1.0kW)
Flame failure safety device option
Battery Ignition (DC 1.5V)
Metal control knob
Gas Type: L.P.G

OPTION

Panel material:#201/#304 S.S
Pan support: Heavy Cast iron/Slim copy Cast iron /Enamel
Original Italian SABAF
Burner caps: Shiny/matt enamel
Ignition: A.C(110V~220V)/D.C1.5V
Control knob: Bakelite/ Metal
Gas type: L.PG /N.G /T.G
Flame failure device: with/without
with Wok support

MODEL	DIMENSION (MM)			LOADING QUANTITY(PC)		
	UNIT	BUILT-IN	CARTON	40HQ	40GP	20GP
JHL.BH501S	730*475*4-R20	730*475*4-R20	730*475*4-R20	890	700	365
JHL.BH502S						
JHL.BH503S						
JHL.BH504G						
JHL.BH505G						
JHL.BH506G						



MODEL: BH401G



MODEL: BH402G



MODEL: BH403G



MODEL: BH404S



MODEL: BH405S



MODEL: BH406S


FEATURE

S#201 stainless steel cooktop
Cast iron pan support
Chinese Sabaf Burner
Triple Ring Wok Burnerx1(3.3kW)
Rapid Burnerx1(2.5kW)
Semi Rapid Burnerx2(1.75kW)
Auxiliary Burnerx1(1.0kW)
Hotplate switch with 3 shifts x1(1.5/1.0kW)
Flame failure safety device option
Battery Ignition (DC 1.5V)
Metal control knob
Gas Type: LPG/NG/TG

OPTION

Panel material:#201/#304 S.S
Pan support: Heavy Cast iron/Slim copy Cast iron /Enamel
Original Italian SABAF
Burner caps: Shiny/matt enamel
Ignition: A.C(110V~220V)/D.C1.5V
Control knob: Bakelite/ Metal
Gas type: L.PG /N.G /T.G
Flame failure device: with/without
with Wok support

MODEL	DIMENSION (MM)			LOADING QUANTITY(PC)		
	UNIT	BUILT-IN	CARTON	40HQ	40GP	20GP
JHL.BH401G	560*475*4-R20	590*510*4-R20	640*550*175	1080	850	450
JHL.BH402G						
JHL.BH403S						
JHL.BH404S						
JHL.BH405S						
JHL.BH406S						





MODEL: BH407S



MODEL: BH408S



MODEL: BH409S



MODEL: BH410S



MODEL: BH411S



MODEL: BH412S


FEATURE

S#201 stainless steel cooktop
Cast iron pan support
Chinese Sabaf Burner
Triple Ring Wok Burner x1(3.3kW)
Rapid Burner x1(2.5kW)
Semi Rapid Burner x2 (1.75kW)
Auxiliary Burner x1(1.0kW)
Flame failure safety device option
Battery Ignition (DC 1.5V)
Metal control knob
Gas Type: L.P.G

OPTION

Panel material:#201/#304 S.S
Pan support: Heavy Cast iron/Slim copy Cast iron /Enamel
Original Italian SABAF
Burner caps: Shiny/matt enamel
Ignition: A.C(110V~220V)/D.C1.5V
Control knob: Bakelite/ Metal
Gas type: L.PG /N.G /T.G
Flame failure device: with/without
with Wok support

MODEL	DIMENSION (MM)			LOADING QUANTITY(PC)		
	UNIT	BUILT-IN	CARTON	40HQ	40GP	20GP
JHL.BH407S	560*475*4-R20	590*510*4-R20	640*550*175	1080	850	450
JHL.BH408S						
JHL.BH409S						
JHL.BH410S						
JHL.BH411S						
JHL.BH412S						



MODEL: BH413S



MODEL: BH414SE



MODEL: BH415SE



MODEL: BH416GE



MODEL: BH417SE



MODEL: BH418SE2


FEATURE

S#201 stainless steel cooktop
Cast iron pan support
Chinese Sabaf Burner
Triple Ring Wok Burner x1(3.3kW)
Rapid Burner x1(2.5kW)
Semi Rapid Burner x2 (1.75kW)
Auxiliary Burner x1(1.0kW)
Flame failure safety device option
Battery Ignition (DC 1.5V)
Metal control knob
Gas Type: L.P.G


OPTION

Panel material:#201/#304 S.S
Pan support: Heavy Cast iron/Slim copy Cast iron /Enamel
Original Italian SABAF
Burner caps: Shiny/matt enamel
Ignition: A.C(110V~220V)/D.C1.5V
Control knob: Bakelite/ Metal
Gas type: L.PG /N.G /T.G
Flame failure device: with/without
with Wok support

MODEL	DIMENSION (MM)			LOADING QUANTITY(PC)		
	UNIT	BUILT-IN	CARTON	40HQ	40GP	20GP
JHL.BH413G	560*475*4-R20	590*510*4-R20	640*550*175	1080	850	450
JHL.BH414G						
JHL.BH415S						
JHL.BH416S						
JHL.BH417S						
JHL.BH418S						



GAS/ELECTRIC COOKER



MODEL: BH201G



MODEL: BH202G



MODEL: BH203S



MODEL: BH204S




MODEL: BH205S


- FEATURE**

 - Black Tempered Glass with 8mm thickness
 - Cast iron pan support
 - Chinese Sabaf Burner
 - Triple Ring Wok Burnerx1 (3.3kW)
 - Auxiliary Burnerx1(1.0kW)
 - Enamel drip pan
 - Flame failure safety device option
 - Battery Ignition (DC 1.5V)
 - Metal control knob
- OPTION**

 - Panel material: white /Ivory/Red Glass,7mm thickness
 - Pan support: Heavy Cast iron/\$lim copy Cast iron /Enamel
 - Original Italian SABAF
 - Burner caps: Shiny/matt enamel
 - Drip pan: Enamel/ S.S
 - Ignition: A.C(110v-220V)/D.C1.5V
 - Control knob: Bakelite/Metal
 - Gas type: L.PG/N.G/T.G
 - Flame failure device: with /without with Wok support

MODEL	DIMENSION (MM)			LOADING QUANTITY(PC)		
	UNIT	BUILT-IN	CARTON	40HQ	40GP	20GP
JHL.BH201G	275*475*4-R20	300*510*4-R20	355*550*175	1940	1540	800
JHL.BH202G						
JHL.BH203S						
JHL.BH204S						
JHL.BH205S						





MODEL: JHL-715E3
Excellent tempered glass cook-panel
Enameled pan grate
Pulse ignition
Safety device
N.W.: 13.5kg
G.W.: 14.8kg
Packing size: 910x545x177mm
40'HQ: 770pcs

MODEL: JHL-715E2
Excellent tempered glass cook-panel
Enameled pan grate
Pulse ignition
Safety device
N.W.: 15kg
G.W.: 18kg
Packing size: 835x560x170mm
40'HQ: 840pcs



MODEL: JHL-715-8
Stainless steel cooker-panel
Iron pan grate
Pulse ignition
Safety device
N.W.: 15kg
G.W.: 16kg
Packing size: 820x560x170mm
40'HQ: 855pcs

MODEL: JHL.3-60E
Excellent tempered glass cooker-panel
Electroplate grate
Automatic Electronic ignition
Safety device
N.W.: 10kg
G.W.: 11kg
Packing size: 825x480x185mm
40'HQ: 928pcs



MODEL: JHL-625E1
8mm tempered glass top panel
Cast iron pan support,
Chinese sabaf burner *3 &
Cerammic cooker *1
Body size: 600*520*130mm
Packing size: 650*540*145mm
40'HQ: 1300pcs

MODEL: JHL-625
Excellent tempered glass cooker-panel
Enameled pan grate
Pulse ignition
Safety device
N.W.:14kg
G.W.: 15.5kg
Packing size: 630x560x170mm
40'HQ: 1100pcs



MODEL: JHL.2-007G
Excellent tempered glass cooker-panel
Electroplate grate
Automatic Electronic ignition
Safety device
N.W.: 7kg
G.W.: 8kg
Packing size: 745x430x180mm
40'HQ: 1010pcs



GAS/ELECTRIC COOKER



Safety precautions

As a commonly used kitchen appliance in our daily life, the gas stove is an essential item. On one hand, it allows us to cook without the need for a traditional open flame, significantly changing our cooking habits. Although gas stoves are frequently used nowadays, it is crucial to pay attention to their safety. We need to check for gas leaks, and most importantly, ensure proper sealing during installation. Otherwise, it can pose significant dangers in the future. Let's now delve into specific precautions for gas stove installation!

- Careful Inspection:**
When installing a gas stove, the first step is to carefully inspect the contents of the package to ensure all components are included and undamaged. If there are any issues, contact the seller promptly for resolution or replacement.
- Verify Information:**
If all components are in order, verify the product's details, including its type and whether it matches the labeling and packaging provided by the seller. This helps prevent discrepancies.
- Size Requirements:**
During installation, pay attention to the dimensions. Typically, there should be a minimum of fifteen centimeters of space between the back of the stove and the wall, and around twenty centimeters of space between the sides and the wall. Additionally, it's important to apply a fireproof layer on the wall surface, keeping it about ten centimeters away from the stove.
- Avoid Storing Flammable Items:**
Place the gas stove in a well-ventilated area, and never store any flammable items underneath it. Doing so could lead to fire hazards. Furthermore, ensure proper isolation between the kitchen and adjacent rooms to prevent gas leakage. These are some essential considerations for gas stove installation. We hope this information is helpful for everyone's safety!"

GAS/ELECTRIC COOKER



MODEL: JHL.3-T026BH4
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 775*423*107mm
40'HQ: 1850pcs



MODEL: JHL.3-T026BH3
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 775*423*107mm
40'HQ: 1850pcs



MODEL: JHL.3-T026NW
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.0kg
G.W.: 6.5kg
Packing size: 701*423*105mm
40'HQ: 2060pcs



MODEL: JHL.3-T026
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 701*423*132mm
40'HQ: 1750pcs



MODEL: JHL.3-T026
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 701*423*132mm
40'HQ: 1750pcs



MODEL: JHL.3-T026
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 701*423*132mm
40'HQ: 1750pcs



MODEL: JHL.3-T043S
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 754*423*105mm
40'HQ: 2060pcs




MODEL: JHL.3-T026C2
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 754*423*105mm
40'HQ: 2060pcs



MODEL: JHL.3-T026R
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 754*423*105mm
40'HQ: 2060pcs



MODEL: JHL.2-T026B
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 754*423*105mm
40'HQ: 2060pcs



MODEL: JHL.2-T038
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 12kg
G.W.: 13kg
Packing size: 725*450*135mm
40'HQ: 1650pcs



MODEL: JHL.3-T033C
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 770*480*190mmmm
40'HQ: 1650pcs



MODEL: JHL.2-T026L
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 701*423*132mm
40'HQ: 1750pcs



MODEL: JHL.2-T026
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 701*423*132mm
40'HQ: 1750pcs



MODEL: JHL.2-T029
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 701*423*132mm
40'HQ: 1750pcs



MODEL: JHL.2-T013C
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 701*423*132mm
40'HQ: 1750pcs



MODEL: JHL.2-T033C
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 701*423*132mm
40'HQ: 1750pcs



MODEL: JHL.2-T055C
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 754*423*105mm
40'HQ: 2060pcs



MODEL: JHL.3-T026SA
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 754*423*105mm
40'HQ: 2060pcs

MODEL: JHL.2-T026SA
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition
Stainless steel drip tray
N.W.: 7.5kg
G.W.: 8.0kg
Packing size: 754*423*105mm
40'HQ: 2060pcs



MODEL: JHL.4-L04B
Color coating stove panel
Four brass burner caps
Auto ignition
G.W.: 3.75kg
Packing size: 515*470*100mm
40'HQ: 2530pcs



MODEL: JHL.4-L04
Color coating stove panel
Four enamel burner caps
Auto ignition
G.W.: 3.75kg
Packing size: 515*470*100mm
40'HQ: 2530pcs



MODEL: JHL.3-L03B
Color coating stove panel
Three brass burner caps
Auto ignition
G.W.: 3.53kg
Packing size: 565*315*100mm
40'HQ: 3350pcs



MODEL: JHL.3-L03
Color coating stove panel
Three enamel burner caps
Auto ignition
G.W.: 3.53kg
Packing size: 565*315*100mm
40'HQ: 3350pcs



MODEL: JHL.2-L02B
Color coating stove panel
Two brass burner caps
Auto ignition
G.W.: 2.3kg
Packing size: 565*315*100mm
40'HQ: 3350pcs



MODEL: JHL.2-L02
Color coating stove panel
Two enamel burner caps
Auto ignition
G.W.: 2.3kg
Packing size: 565*315*100mm
40'HQ: 3350pcs



WE ONLY PRODUCE
HIGH-QUALITY
PRODUCTS



MODEL: JHL.4-L04HB
Color coating stove panel
Four brass burner caps
Auto ignition
N.W.: 6.3kg
G.W.: 6.3kg
Body size: 570*510*175mm
40'HQ: 1350pcs



MODEL: JHL.3-T029
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 710*400*110mm
Packing size: 720*422*123mm
40'HQ: 1715pcs



MODEL: JHL.2-T004
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 710*400*110mm
Packing size: 745*420*125mm
40'HQ: 1750pcs



MODEL: JHL.3-T033
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 695*380*95mm
Packing size: 705*385*98mm
40'HQ: 2600pcs



MODEL: JHL.3-T016
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 695*380*95mm
Packing size: 705*385*98mm
40'HQ: 2600pcs



MODEL: JHL.3-T016H2
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 695*380*95mm
Packing size: 705*385*98mm
40'HQ: 2600pcs



MODEL: JHL.2-T009
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 695*380*95mm
Packing size: 715*385*98mm
40'HQ: 2600pcs



MODEL: JHL.2-T065
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 690*370*110mm
Packing size: 715*385*98mm
40'HQ: 2600pcs



MODEL: JHL.2-T02T
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 690*370*110mm
Packing size: 715*385*98mm
40'HQ: 2600pcs



MODEL: JHL.2-T014
Coated cook-panel
Auto ignition
N.W.: 6kg
G.W.: 7kg
Body size: 705*380*95mm
Packing size: 710*385*98mm
40'HQ: 2600pcs



MODEL: JHL.2-T02R
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 695*380*95mm
Packing size: 715*410*100mm
40'HQ: 2600pcs

MODEL: JHL.2-T028
Coated cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 710*380*95mm
Packing size: 715*385*98mm
40'HQ: 2600pcs



MODEL: JHL.3-T024
Coated cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 710*400*95mm
Packing size: 715*410*100mm
40'HQ: 2600pcs

MODEL: JHL.2-T035F
Coated cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 710*380*95mm
Packing size: 715*385*98mm
40'HQ: 2600pcs



As long as you have
a good stove
you can make delicious food



MODEL: JHL.3-T021X
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 715*380*80mm
Packing size: 715*410*100mm
40'HQ: 2500pcs

MODEL: JHL.3-T018X
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 715*380*80mm
Packing size: 720*385*85mm
40'HQ: 2600pcs



MODEL: JHL.3-T018
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 715*380*80mm
Packing size: 720*385*85mm
40'HQ: 2600pcs

MODEL: JHL.3-T017
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 715*380*80mm
Packing size: 720*385*85mm
40'HQ: 2600pcs



MODEL: JHL.2-T012
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 710*380*95mm
Packing size: 720*385*98mm
40'HQ: 2600pcs

MODEL: JHL.2-T027
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg
G.W.: 8kg
Body size: 700*395*110mm
Packing size: 715x405x123mm
40'HQ: 1750pcs

GAS/ELECTRIC COOKER



MODEL:JHL.1-A10
Excellent tempered glass cook-panel
Autolgnition
N.W.:4kg
G.W.:5kg
Bodysize:380*300*115mm
Packingsize:373*405*130mm
40'HQ:4290pcs



MODEL:JHL.1-A12
Excellent tempered glass cook-panel
Autolgnition
N.W.:4kg
G.W.:5kg
Bodysize:380*300*115mm
Packingsize:373*405*130mm
40'HQ:4290pcs



MODEL:JHL.1-K1AB
Coated cooker-panel
Autolgnition
N.W.:4kg
G.W.:5kg
Bodysize:340*290*85mm
Packingsize:355*300*90mm
40'HQ:6702pcs



MODEL:JHL.1-A02
Stainless steel cooker-panel
Autolgnition
N.W.:3kg
G.W.:3.5kg
Bodysize:350*280*105mm
Packingsize:375*295*120mm
40'HQ:6500pcs



MODEL:JHL.1-A04
Coated cooker-panel
Autolgnition
N.W.:3kg
G.W.:3.5kg
Bodysize:350*280*105mm
Packingsize:375*295*120mm
40'HQ:6500pcs



MODEL:JHL.1-A15
Coated cooker-panel
Autolgnition
N.W.:3kg
G.W.:3.5kg
Bodysize:350*280*105mm
Packingsize:375*295*120mm
40'HQ:6500pcs





JHL-835GET
Brassburnercap
Electricalhotplates:1000W*1500W
Stainlesssteelbody
Autoignition
Temperedglasslid
Burnerformoredurabilityandefficiency
Lowgasconsumption
Packingsize:925x640x258mm
40'HQ:430pcs



JHL-835GET3
Brassburnercap
Stainlesssteelbody
Autoignition
Temperedglasslid
Burnerformoredurabilityandefficiency
Lowgasconsumption
Packingsize:925x640x258mm
40'HQ:430pcs



JHL-600GET
Brassburnercap
Electricalhotplates:1000W*1500W
Stainlesssteelbody
Autoignition
Temperedglasslid
Burnerformoredurabilityandefficiency
Lowgasconsumption
Packingsize:615x560x250mm
40'HQ:785pcs



JHL-620GET
Brassburnercap
Stainlesssteelbody
Autoignition
Temperedglasslid
Burnerformoredurabilityandefficiency
Lowgasconsumption
Packingsize:615x560x250mm
40'HQ:785pcs



JHL-835GET2
Brassburnercap
Electricalhotplates:1500W
Stainlesssteelbody
Autoignition
Temperedglasslid
Burnerformoredurabilityandefficiency
Lowgasconsumption
Packingsize:925x575x255mm
40'HQ:430pcs



JHL-710GET
Brassburnercap
Stainlesssteelbody
Autoignition
Temperedglasslid
Burnerformoredurabilityandefficiency
Lowgasconsumption
Packingsize:660x680x270mm
40'HQ:550pcs



JHL-300GET
Brassburnercap
Stainlesssteelbody
Autoignition
Temperedglasslid
Burnerformoredurabilityandefficiency
Lowgasconsumption
Packingsize:750x455x200mm
40'HQ:975pcs



JHL-835GET3
Brassburnercap
Stainlesssteelbody
Autoignition
Temperedglasslid
Burnerformoredurabilityandefficiency
Lowgasconsumption
Packingsize:925x640x258mm
40'HQ:430pcs



MODEL: JHL-TS006
Material: Metal+glass
lighting . LED
Switch: Touch button
Filter: 3* metal filter
Air outlet: 150mm
Dimension: 600mm
Air flow: 700m3/h
40'HQ: 510~650pcs



MODEL: JHL-TS005
Material: Metal+glass
lighting . LED
Switch: Touch button
Filter: 3* metal filter
Air outlet: 150mm
Dimension: 900mm
Air flow: 700m3/h
40'HQ: 510~650pcs



MODEL: JHL-TS004
Material: Metal+glass
lighting . LED
Switch: Touch button
Filter: 3* metal filter
Air outlet: 150mm
Dimension: 900mm
Air flow: 700m3/h
40'HQ: 510~650pcs




MODEL: JHL-SR001-90
Material: Metal+glass
lighting . LED
Switch: Touch button
Filter: aluminum filter
Air outlet: 150mm
Dimension: 900mm
Air flow: 700m3/h
40'HQ: 60cm: 500pcs
40'HQ: 86cm: 300pcs



MODEL: JHL-TS001
Material: Metal+glass
lighting . LED
Switch: Touch button
Filter: 2* aluminum filter
Air outlet: 150mm
Dimension: 600mm
Air flow: 700m3/h
40'HQ:630~920PCS

MODEL: JHL-TS003
Material: Metal+glass
lighting . LED
Switch: Touch button
Filter: 1* metal filter
Air outlet: 150mm
Dimension: 900mm
Air flow: 700m3/h
40'HQ: 510~650pcs



MODEL: JHL-SH001
Material: color coating
lighting . halogen 2*20W
Switch: push button
Filter: 3*Aluminum panels
Air outlet: 150mm
Dimension 900mm
N.W.: 10kg
G.W.: 12kg
Air flow: 700m³/h
Body size: 900*150*510mm
Packing size: 940*190*550mm
40'HQ: 700pcs

MODEL: JHL-SH002
Material: aisi 430
lighting . halogen 2*20W
Switch: push button
Filter: 3*Aluminum panels
Air outlet: 150mm
Dimension 900mm
N.W.: 10kg
G.W.: 12kg
Air flow: 700m³/h
Body size: 900*150*510mm
Packing size: 940*190*550mm
40'HQ: 700pcs



MODEL: JHL-TS004
Material: Metal+glass
lighting . LED
Switch: Touch button
Filter: 1* metal filter
Air outlet: 150mm
Dimension: 900mm
Air flow: 700m3/h
40'HQ: 610~750pcs

MODEL: JHL-TS003-60
Material: Metal+glass
lighting . LED
Switch: Touch button
Filter: 1* metal filter
Air outlet: 150mm
Dimension: 600mm
Air flow: 700m3/h
40'HQ: 610~750pcs



MODEL: JHL-SH003
Material: metal+glass
lighting . LED
Switch: Touch button
Filter: 2* stainless steel filter
Air outlet: 150mm
Dimension: 900mm
Air flow: 700m3/h
40'HQ:
90CM: 810PCS
60CM: 1200PCS

MODEL: JHL-SH004
Material: metal
lighting . LED
Switch: PUSH button
Filter: 2* ALUMINUM filter
Air outlet: 150mm
Dimension: 900mm
Air flow: 700m3/h
40'HQ:
90CM: 810PCS
60CM: 1200PCS



MODEL: JHL-SH005
Material: stainless steel+glass
lighting . LED
Switch: Touch button
Filter: 2* metal filter
Air outlet: 150mm
Dimension: 600mm
Air flow: 700m3/h
40'HQ:
90CM:560PCS
76CM:650PCS



MODEL: JHL-SH006
Material: stainless steel+glass
lighting . LED
Switch: Touch button
Filter: 2* metal filter
Air outlet: 150mm
Dimension: 600mm
Air flow: 700m3/h
40'HQ:
90CM:560PCS
76CM:650PCS



MODEL: JHL-SH007
Material: metal-GLASS
lighting . LED
Switch: TOUCH button
Filter: METAL filter
Air outlet: 150mm
Dimension: 600mm
Air flow: 700m3/h
40'HQ:
90CM:560PCS
76CM:650PCS



MODEL: JHL-SH008
Material: metal
lighting . LED
Switch: PUSH button
Filter: 2* ALUMINUM filter
Air outlet: 150mm
Dimension: 600mm
Air flow: 700m3/h
40'HQ:
90CM: 810PCS
60CM: 1200PCS



MODEL: JHL-SR001-90
Material: Metal+glass
lighting . LED
Switch: Touch button
Filter: aluminum filter
Air outlet: 150mm
Dimension: 900mm
Air flow: 700m3/h
40'HQ: 60cm: 500pcs
40'HQ: 86cm: 300pcs



MODEL: JHL-SR001
Material: Metal+glass
lighting . LED
Switch: Touch button
Filter: aluminum filter
Air outlet: 150mm
Dimension: 600mm
Air flow: 700m3/h
40'HQ: 60cm: 500pcs
40'HQ: 86cm: 300pcs



MODEL: JHL-E006MIN
Material: Stainless steel & glass
lighting . LED 2*2W
Switch: push button
Filter: Stainless steel panels
Air outlet: 150mm
Dimension: 900mm
N.W.: 12kg
G.W.: 14kg
Air flow: 700m3/h
Body size: 900*500*520mm
Packing size: (930+330)/2*320*450mm
40'HQ: 780pcs



MODEL: JHL-E006MIN-A
Material: Stainless steel & glass
lighting . LED 2*2W
Switch: push button
Filter: 2*Aluminum filter
Air outlet: 150mm
Dimension: 900mm
N.W.: 12kg
G.W.: 14kg
Air flow: 700m3/h
Body size: 900*500*520mm
Packing size: (930+330)/2*320*450mm
40'HQ: 780pcs



MODEL: JHL-E008-B
Material: plastic
lighting . halogen 2*20W
Switch: push button
Filter: stainless steel filter
Air outlet: 150mm
Dimension 900mm
N.W.: 12kg
G.W.: 14kg
Air flow: 700m³/h
Body size: 900*500*520mm
Packing size: 920*550*530mm
40'HQ: 400pcs
COLOR: Red, Orange, Yellow Wood, Coffee Wood, Silver



MODEL: JHL-E008-W
Material: plastic
lighting . halogen 2*20W
Switch: push button
Filter: 3*Aluminum panels
Air outlet: 150mm
Dimension 900mm
N.W.: 12kg
G.W.: 14kg
Air flow: 700m³/h
Body size: 900*500*520mm
Packing size: 920*550*530mm
40'HQ: 400pcs
COLOR: Red, Orange, Yellow Wood, Coffee Wood, Silver



MODEL: JHL-E006-3
Material: aisi 430
lighting . halogen 2*20W
Switch: push button
Filter: stainless steel filter
Air outlet: 150mm
Dimension: 900mm
N.W.: 16kg
G.W.: 18kg
Air flow: 700m³/h
Body size: 900*500*530mm
Packing size: (915+385)2x600x480mm
40'HQ: 360pcs



MODEL: JHL-E007
Material: aisi 430
lighting . halogen 2*20W
Switch: touch button
Filter: 2*Aluminum panels
Air outlet: 150mm
Dimension: 900mm
N.W.: 16kg
G.W.: 18kg
Air flow: 700m³/h
Body size: 900*500*530mm
Packing size: (940+410)/2*600*525mm
40'HQ: 345pcs



MODEL: JHL-E006
Material: aisi 430
lighting . halogen 2*20W
Switch: push button
Filter: stainless steel filter
Air outlet: 150mm
Dimension 900mm
N.W.: 16kg
G.W.: 18kg
Air flow: 700m³/h
Body size: 900*500*530mm
Packing size: (915+385)2x600x480mm
40'HQ: 360pcs



MODEL: JHL-E006GD
Material: aisi 430
lighting . halogen 2*20W
Switch: push button
Filter: stainless steel filter
Air outlet: 150mm
Dimension 900mm
N.W.: 16kg
G.W.: 18kg
Air flow: 700m³/h
Body size: 900*500*530mm
Packing size: (915+385)2x600x480mm
40'HQ: 360pcs



MODEL: JHL-E006-SP2
Material: aisi 430
lighting . halogen 2*20W
Switch: push button
Filter: 2*stainless steel panels
Air outlet: 150mm
Dimension: 900mm
N.W.: 16kg
G.W.: 18kg
Air flow: 700m³/h
Body size: 900*500*530mm
Packing size: (940+410)/2*600*525mm
40'HQ: 345pcs



MODEL: JHL-E006-S
Material: aisi 430
lighting . halogen 2*20W
Switch: push button
Filter: 2*Aluminum panels
Air outlet: 150mm
Dimension: 900mm
N.W.: 16kg
G.W.: 18kg
Air flow: 700m³/h
Body size: 900*500*530mm
Packing size: (940+410)/2*600*525mm
40'HQ: 345pcs

2023-2024

Original Equipment Manufacture



PRODUCT
CATALOGUE

🏠 No 9 ,Dowu Road,Jiangyi Industrial park,Leiliu Town,Shunde,Foshan,- Guangdong,China

🌐 www.sdjhl.com

✉ jhl@sdjhl.com

☎ +86-757-25522155 / 25521382 / 25521588



MODEL	JHL-IF004
SIZE	26", 30"



MODEL	JHL-IF001
SIZE	26", 30"



MODEL	JHL-IF006
SIZE	26", 30"





MODEL	JHL-RF040
SIZE	12",14",16",18",20"



MODEL	JHL-RF021
SIZE	16"

MODEL	JHL-RF013
SIZE	16"



MODEL	JHL-RF009
SIZE	12"

MODEL	JHL-RF004
SIZE	16"



MODEL	JHL-IF003
SIZE	12",14",16", 18",20"



MODEL	JHL-MF001
SIZE	12",14",16", 18",20"



MODEL	JHL-MF003
SIZE	18"



MODEL	JHL-SF3N11C
SIZE	18"



MODEL	JHL-SF3IN1
SIZE	18"






MODEL	JHL-SF044	MODEL	JHL-SF045	MODEL	JHL-SF025	MODEL	JHL-SF027
SIZE	16"	SIZE	16"	SIZE	16"	SIZE	16"





MODEL	JHL-SF047	MODEL	JHL-SF051
SIZE	16"	SIZE	16"





MODEL	JHL-SF037	MODEL	JHL-SF038
SIZE	16"	SIZE	16"




MODEL	JHL-SF053	MODEL	JHL-SF054
SIZE	16"	SIZE	16"



MODEL	JHL-SF004
SIZE	20"



MODEL	JHL-WF014B
SIZE	16"

MODEL	JHL-WF019
SIZE	16"

MODEL	JHL-WF013
SIZE	16"

MODEL	JHL-OF001
SIZE	16"



MODEL	JHL-TF014
SIZE	12"



MODEL	JHL-BF013
SIZE	12"



MODEL	JHL-BF016
SIZE	12"



MODEL	JHL-SF063
SIZE	18"



MODEL	JHL-SF061
SIZE	16"




MODEL	JHL-SF062
SIZE	16"




MODEL	JHL-VF006
SIZE	6", 8", 10", 12"




MODEL	JHL-VF001
SIZE	6", 8", 10", 12"



MODEL	JHL-VF003
SIZE	12",14",16", 18",20"



MODEL	JHL-IVFS002
SIZE	12",14",16", 18",20"



MODEL	JHL-IVFS001
SIZE	12",14",16", 18",20"



MODEL	JHL-IOF001
SIZE	12",14",16", 18",20"