



PROFESSIONAL MANUFACTURER
FOR KITCHEN APPLIANCES

OVEN

RANGE HOOD

STOVE



FOSHAN CITY SUPER TECHNOLOGY CO., LTD

 No 9 ,Dowu Road,Jiangyi Industrial park,Leiliu Town,Shunde,Foshan,Guangdong,China
 www.sdjhl.com
 jhl@sdjhl.com
 +86-757-25522155 / 25521382 / 25521588

**20+ Years Manufacturing
Experience**

**Certified Production
Standards**

Stable Global Supply

CompanyIntroduction




foshan city super Technology Co., Ltd is a professional manufacturer of small home appliances like range hood, fan, gas stoves and gas ovens. Our company is located in Foshan City, Guangdong Province which is an electric appliance manufacturing base in China. We are near Hong Kong, Macao and Guangzhou with convenient transportation by ship or bus.

Range hood is one of our best selling products. We specialize in different kinds of range hood, which is simple to use and of unique design. Excellent tempered glass is not only easy to clean but also elegant. Our stainless steel material is both strong and durable. 100% copper motor with strong suction, superior aluminum filter, 99% fume separation.

Our company owns a lot of experienced professional technicians and administrators, so our company has built up a strict quality control system and have passed the certification of "3C", "CE", "CB", "SGS", "SOCAP", "SASO". "High Grade, High Quality" are our principles. In these years, our products have been well exported to all over the world and received customers' well recognition.

Learn from the past, look to the future, our company continues developing new products, new technologies and new crafts. We are trying to provide wonderful products to customers. We warmly welcome new friends to cooperate with us and OEM orders are accepted. Welcome to visit our factory for better understanding and cooperation.

Contents

Oven	Stove	Range hood
		
03-13	14-35	36-40

1. Pay attention to cleaning when using the oven for the first time. Wipe the inside and outside of the oven with a clean damp cloth to remove some dust. Then you can use the high temperature to bake in an empty oven for a while, sometimes white smoke may appear, which is a normal phenomenon. Pay attention to ventilation and heat dissipation after baking.

2. The oven can be used normally after cleaning. Before baking any food, it is necessary to preheat to the specified temperature to meet the baking time on the recipe. It takes about 10 minutes to preheat the oven. If the oven is preheated for too long, it may also affect the service life of the oven.

3. Be careful of the oven being heated to avoid scalding. In addition to the internal high temperature, the shell and glass door are also very hot, so be careful when opening or closing the oven door to avoid being scalded by the glass door. When putting or taking out the baking tray, handle must be used. It is forbidden to touch the baking tray or baked food directly by hand. Do not touch the heater or other parts of the furnace chamber with

your hands to avoid scalding.

Many users turn off the range hood after only a few minutes of cooking, which can't play its role. The right way to use it is to turn it on at the beginning of cooking, and turn it off only after 5-6 minutes after the whole cooking. Here, because of natural gas or liquefied petroleum gas, when the range hood is out of service, as long as the nitrogen compound is burned for a few minutes, it will exceed the standard by five times, and the carbon monoxide gas can exceed the standard by more than 65 times. Therefore, in the process of cooking, the range hood should work all the way, rather than start and stop at the same time. As for cooking, the reason why you still need to work for a few minutes is to discharge the harmful gas left in the kitchen to the maximum extent, so as not to leave it in the kitchen, so as to prevent it from endangering human health.

1. The cooker is required to be installed in a well ventilated kitchen with a minimum distance of 1m from the steel cylinder, but the maximum length of the air inlet hose should not exceed 2m. No inflammables should be piled under and around the cooker.






2. The clear distance between the back of the stove and the wall shall not be less than 15 cm, and the clear distance between the side and the wall shall not be less than 20 cm; if the wall is inflammable material, a thermal insulation fireproof layer shall be pasted, and the excess of the fireproof layer shall not be less than 10 cm from both ends of the stove surface and the part below the stove, and the excess of the stove shall not be less than 80 cm.

3. The gap at the connection of air inlet pipe must be sealed. When connecting with rubber pipe, the rubber pipe must be put in place and clamped with clamp.

GAS/ELECTRIC OVEN

900mm series







900x600mm PARAMETER		900x600mm PARAMETER	
 MODEL: JHL-900A (G5S) Five enamel burner caps: 3200W, 2400W*2, 1880W*2	 MODEL: JHL-900A (G6S) Six enamel burner caps: 3200W, 2400W*2, 1880W*3	 MODEL: JHL-900B (G5S) Five enamel burner caps: 3200W, 2400W*2, 1880W*2	 MODEL: JHL-L900B (G6S) Six enamel burner caps: 3200W, 2400W*2, 1880W*3
 MODEL: JHL-900A (G4E2S) Four enamel burner caps: 3200W, 2400W*2, 1880W*2 Two electrical hot plates: 1500W,1000W		 MODEL: JHL-900B (G4E2S) Four enamel burner caps: 3200W, 2400W*2, 1880W*2 Two electrical hot plates: 1500W,1000W	
Oven capacity: 110L		Oven capacity: 110L	
Oven power: 3980W		Oven power: 3980W	
Pulse ignition		Pulse ignition	
Double warmer glass oven door		Double warmer glass oven door	
Product size: 900x650x(890~920)mm		Product size: 900x650x(890~920)mm	
Packing size: 950*675*865mm		Packing size: 950*675*865mm	
40'HQ 124pcs		40'HQ 124pcs	

GAS/ELECTRIC OVEN

900mm series








900x600mm PARAMETER		900x600mm PARAMETER	
 MODEL: JHL-L900A (G5S) Five enamel burner caps: 3200W, 2400W*2, 1880W*2	 MODEL: JHL-L900A (G6S) Six enamel burner caps: 3200W, 2400W*2, 1880W*3	 MODEL: JHL-L900B (G5S) Five enamel burner caps: 3200W, 2400W*2, 1880W*2	 MODEL: JHL-L900B (G6S) Six enamel burner caps: 3200W, 2400W*2, 1880W*3
 MODEL: JHL-L900A (G4E2S) Four enamel burner caps: 3200W, 2400W*2, 1880W*2 Two electrical hot plates: 1500W,1000W		 MODEL: JHL-L900B (G4E2S) Four enamel burner caps: 3200W, 2400W*2, 1880W*2 Two electrical hot plates: 1500W,1000W	
Oven capacity: 73L		Oven capacity: 133L	
Oven power: 3500W		Oven power: 3980W	
Pulse ignition		Pulse ignition	
Double warmer glass oven door		Double warmer glass oven door	
Product size: 900x650x(840~870)mm		Product size: 900x650x(840~870)mm	
Packing size: 950*675*840mm		Packing size: 950*675*840mm	
40'HQ 124pcs		40'HQ 124pcs	

GAS/ELECTRIC OVEN

900mm series







900x600mm PARAMETER		900x600mm PARAMETER	
 MODEL: JHL-L900C (G5S) Five enamel burner caps: 3200W, 2400W*2, 1880W*2	 MODEL: JHL-L900C (G6S) Six enamel burner caps: 3200W, 2400W*2, 1880W*3	 MODEL: JHL-L900D (G5S) Five enamel burner caps: 3200W, 2400W*2, 1880W*2	 MODEL: JHL-L900D (G6S) Six enamel burner caps: 3200W, 2400W*2, 1880W*3
 MODEL: JHL-L900C (G4E2S) Four enamel burner caps: 3200W, 2400W*2, 1880W*2 Two electrical hot plates: 1500W,1000W		 MODEL: JHL-L900D (G4E2S) Four enamel burner caps: 3200W, 2400W*2, 1880W*2 Two electrical hot plates: 1500W,1000W	
Oven capacity: 133L		Oven capacity: 133L	
Oven power: 3980W		Oven power: 3980W	
Pulse ignition		Pulse ignition	
Double warmer glass oven door		Double warmer glass oven door	
Product size: 900x650x(840~870)mm		Product size: 900x650x(840~870)mm	
Packing size: 950*675*840mm		Packing size: 950*675*840mm	
40'HQ 124pcs		40'HQ 124pcs	

GAS/ELECTRIC OVEN

900mm series



900x600mm PARAMETER		900x600mm PARAMETER	
 MODEL: JHL-L900F (G5S) Five enamel burner caps: 3200W, 2400W*2, 1880W*2	 MODEL: JHL-L900F (G6S) Six enamel burner caps: 3200W, 2400W*2, 1880W*3	 MODEL: JHL-L900GT (G5S) Five enamel burner caps: 3200W, 2400W*2, 1880W*2	 MODEL: JHL-L900GT (G6S) Six enamel burner caps: 3200W, 2400W*2, 1880W*3
 MODEL: JHL-L900F (G4E2S) Four enamel burner caps: 3200W, 2400W*2, 1880W*2 Two electrical hot plates: 1500W,1000W		 MODEL: JHL-L900GT (G4E2S) Four enamel burner caps: 3200W, 2400W*2, 1880W*2 Two electrical hot plates: 1500W,1000W	
Oven capacity: 133L		Oven capacity: 133L	
Oven power: 3980W		Oven power: 3980W	
Pulse ignition		Pulse ignition	
Double warmer glass oven door		Double warmer glass oven door	
Product size: 900x650x(840~870)mm		Product size: 900x650x(850~880)mm	
Packing size: 950*675*840mm		Packing size: 950*675*840mm	
40'HQ 124pcs		40'HQ 124pcs	

GAS/ELECTRIC OVEN

900/830mm series



900x600mm PARAMETER		830x500mm PARAMETER	
	MODEL: JHL-L900GT2 (E5)		MODEL: JHL-835 (G5S) Five enamel burner caps: 3200W*1, 2400W*2, 1880W*2
	Five ceramic cooker: 1000W~2000W		MODEL: JHL-835 (G6S) Six enamel burner caps: 3200W*1, 2400W*2, 1880W*3
	Oven capacity: 133L		
	Oven power: 3980W		
	Pulse ignition		
Double warmer glass oven door		MODEL: JHL-835 (G4E2S) Four enamel burner caps: 2400W*2, 1880W*2 Electrical hot plates: 1000W	
Product size: 900x650x(790~820)mm		Oven capacity: 52L	
Packing size: 950*675*840mm		Oven power: 3500W	
40'HQ 124pcs		Pulse ignition	
		Double warmer glass oven door	
		Product size: 830x540x(890~920)mm	
		Packing size: 850*560*890mm	
		40'HQ 162pcs	

GAS/ELECTRIC OVEN

760/600mm series



760x500mm PARAMETER		600x600mm PARAMETER	
	JHL-L760(G6B)		MODEL: JHL-710 (G4) Four enamel burner caps: 2400W*2,1800W*2
	Glass cover (without front lid)		MODEL: JHL-710 (G3E1) Three enamel burner caps: 3200W,2400W,1880W
	Stainless steel table top plate BLACK painting body		
	Black color stainless steel burner cap (2 big, 2 medium, 2 small)		MODEL: JHL-710 (G2E2) Four enamel burner caps: 2400W*2, 1880W*2 Two electrical hot plates: 750W,1000W
	Polished aluminum burner base (2 big, 2 medium, 2 small)		MODEL: JHL-710 (E4) Four electrical hotplates: 1500W*2,1000W*2
Enameled top grills (3 pcs)		Oven capacity: 73L	
Manual ignition device		Oven power: 3500W	
One chromed oven grill & one oven bottom tray		Pulse ignition	
With lower gas burner in the oven		Double warmer glass oven door	
Aluminum handle		Product size: 600x650x(890~920)mm	
Black frame oven door (Double glass)		Packing size: 620*655*835mm	
Oven Capacity: 118L		40'HQ 162pcs	
Product Size: 760x500x860mm (with Rubber leg)			
Packing size: 780*520*840mm			
40'HQ 180pcs			

GAS/ELECTRIC OVEN

600mm series



600x600mm PARAMETER		600x600mm PARAMETER	
		 MODEL: JHL-L600B (G4) Four enamel burner caps: 2400W*2,1800W*2	 MODEL: JHL-L600B (G3E1) Three enamel burner caps: 3200W,2400W,1880W
	MODEL: JHL-L600GT (E4)	 MODEL: JHL-L600B (G2E2) Four enamel burner caps: 2400W*2, 1880W*2 Two electrical hot plates: 750W,1000W	 MODEL: JHL-L600B (E4) Four electrical hotplates: 1500W*2,1000W*2
	Four enamel burner caps: 2400W*2,1800W*2		
Oven capacity: 73L	Oven capacity: 73L		
Oven power: 3500W	Oven power: 3500W		
Pulse ignition	Pulse ignition		
Double warmer glass oven door	Double warmer glass oven door		
Product size: 600x650x(800~830)mm	Product size: 600x650x(840~870)mm		
Packing size: 620*655*835mm	Packing size: 620*655*835mm		
40'HQ 162pcs	40'HQ 162pcs		

GAS/ELECTRIC OVEN

600/500mm series



600x600mm PARAMETER		500x500mm PARAMETER	
		 MODEL: JHL-L600 (G4) Four enamel burner caps: 2400W*2,1800W*2	 MODEL: JHL-L500B (G4) Four enamel burner caps: 2400W*2,1800W*2
		 MODEL: JHL-L600 (G3E1) Three enamel burner caps: 3200W,2400W,1880W	 MODEL: JHL-L500B (G3E1) Three enamel burner caps: 3200W,2400W,1880W
	 MODEL: JHL-L600 (G2E2) Four enamel burner caps: 2400W*2, 1880W*2 Two electrical hot plates: 750W,1000W	 MODEL: JHL-L600 (E4) Four electrical hotplates: 1500W*2,1000W*2	 MODEL: JHL-L500B (G2E2) Four enamel burner caps: 2400W*2, 1880W*2 Two electrical hot plates: 750W,1000W
Oven capacity: 73L	Oven capacity: 52L		
Oven power: 3500W	Oven power: 3500W		
Pulse ignition	Pulse ignition		
Double warmer glass oven door	Double warmer glass oven door		
Product size: 600x650x(840~870)mm	Product size: 500x560x820mm		
Packing size: 620*655*835mm	Packing size: 590*515*840mm		
40'HQ 162pcs	40'HQ 264pcs		

GAS/ELECTRIC OVEN

500mm series



500x500mm PARAMETER		500x500mm PARAMETER	
 MODEL: JHL-L500 (G4) Four enamel burner caps: 2400W*2,1800W*2	 MODEL: JHL-L500 (G3E1) Three enamel burner caps: 3200W,2400W,1880W	 MODEL: JHL-L500GT2 (G4) Four enamel burner caps: 2400W*2,1800W*2	 MODEL: JHL-L500GT2 (G3E1) Three enamel burner caps: 3200W,2400W,1880W
 MODEL: JHL-L500 (G2E2) Four enamel burner caps: 2400W*2, 1880W*2 Two electrical hot plates: 750W,1000W	 MODEL: JHL-L500B (E4) Four electrical hotplates: 1500W*2,1000W*2	 MODEL: JHL-L500GT2(G2E2) Four enamel burner caps: 2400W*2, 1880W*2 Two electrical hot plates: 750W,1000W	 MODEL: JHL-L500B (E4) Four electrical hotplates: 1500W*2,1000W*2
Oven capacity: 52L		Oven capacity: 52L	
Oven power: 3500W		Oven power: 3500W	
Pulse ignition		Pulse ignition	
Double warmer glass oven door		Double warmer glass oven door	
Product size: 500x560x820mm		Product size: 500x560x840mm	
Packing size: 590*515*840mm		Packing size: 590*515*840mm	
40'HQ 264pcs		40'HQ 264pcs	

GAS/ELECTRIC OVEN

500mm series




500x500mm PARAMETER		500x500mm PARAMETER
 MODEL: JHL-L500GT (G4) Four enamel burner caps: 2400W*2,1800W*2	 MODEL: JHL-L500GT (G3E1) Three enamel burner caps: 3200W,2400W,1880W	 JHL-L501(G4W)
		With Back Guard
		Stainless steel table top plate
		Black painting / Stainless Steel body
		Black color stainless steel burner cap (1 big, 2 medium, 1 small)
		Polished aluminium burner base (1 big, 2 medium, 1 small)
		6mm enameled top grills (2 pcs) Manual ignition device
Oven capacity: 52L		One chromed oven grill & one oven bottom tray
Oven power: 3500W		With down gas burner in the oven
Pulse ignition		Metal handle with painted
Double warmer glass oven door		Black frame oven door (Double glass)
Product size: 500x560x840mm		Oven Capacity: 55L
Packing size: 590*515*840mm		Product Size: 500x500x860mm tall model (with Rubber leg)
40'HQ 264pcs		Packing size: 530*515*840mm
		40'HQ 264pcs

BUILT-IN OVEN



- YOU CAN CHOOSE
- Top Electric & Bottom Gas
 - Full Gas
 - Full Electric

40"HQ
1000pcs
CKD loading quantity




- YOU CAN CHOOSE
- Top Electric & Bottom Gas
 - Full Gas
 - Full Electric

40"HQ
1000pcs
CKD loading quantity



- YOU CAN CHOOSE
- Top Electric & Bottom Gas
 - Full Gas
 - Full Electric

40"HQ
1000pcs
CKD loading quantity



FEATURE

- Material: Black tempered glass
- Mechanical knob control
- Oven 3 programs
- Capacity: 80 L
- Oven lamp:1x25 W
- 120 min timer with audible alarm and auto shut off
- Integral cooling fan system (Double-glazed door)
- Aluminum handle
- 1 Shallow baking pan, 1 Oven grid
- Oven with thermostat and safety
- Adjustable temperature
- Gas type: LPG / NG
- Upper gas burner: 1600W
- Bottom gas burner: 2200W

OPTIONAL FEATURE


- Configurations**
- Rear fan (6 programs)
- Accessories**
- Rotisserie
 - Removable double /triple-glazed glass door
- Knob**
- 2 knobs /3 knobs
- Oven grill**
- upper electric + bottom gas
 - upper + bottom gas
 - upper + bottom electric

DIMENSION

- Product size(mm)**
595*547*595
- Built-in size(mm)**
572*500*590
- Carton size(mm)**
635*570*640
- Loading capacity**
20GP:108 pcs
40GP: 216 pcs
40HQ: 288 pcs

BUILT-IN HOB

5 BURNER series



MODEL: BH501S



MODEL: BH502S



MODEL: BH503S



MODEL: BH504G




MODEL: BH505G



MODEL: BH506G

FEATURE	OPTION
S#201 stainless steel cooktop	Panel material:#201/#304 S.S
Cast iron pan support	Pan support: Heavy Cast iron/Slim copy Cast iron /Enamel
Chinese Sabaf Burner	Original Italian SABAF
Triple Ring Wok Burner x1(3.3kW)	Burner caps: Shiny/matt enamel
Rapid Burner x1(2.5kW)	Ignition: A.C(110V~220V)/D.C1.5V
Semi Rapid Burner x2 (1.75kW)	Control knob: Bakelite/ Metal
Auxiliary Burner x1(1.0kW)	Gas type: L.PG /N.G /T.G
Flame failure safety device option	Flame failure device: with/without
Battery Ignition (DC 1.5V)	with Wok support
Metal control knob Gas Type: L.P.G	

MODEL	DIMENSION (MM)			LOADING QUANTITY(PC)		
	UNIT	BUILT-IN	CARTON	40HQ	40GP	20GP
JHL.BH501S	730*475*4-R20	730*475*4-R20	730*475*4-R20	890	700	365
JHL.BH502S						
JHL.BH503S						
JHL.BH504G						
JHL.BH505G						
JHL.BH506G						



BUILT-IN HOB

5 BURNER series



MODEL: BH507S



MODEL: BH508S



MODEL: BH509SE



MODEL: BH510S




MODEL: BH511GE



MODEL: BH512G

FEATURE		OPTION	
S#201 stainless steel cooktop		Panel material:#201/#304 S.S	
Cast iron pan support		Pan support: Heavy Cast iron/Slim copy Cast iron /Enamel	
Chinese Sabaf Burner		Original Italian SABAF	
Triple Ring Wok Burner x1(3.3kW)		Burner caps: Shiny/matt enamel	
Rapid Burner x1(2.5kW)		Ignition: A.C(110V~220V)/D.C1.5V	
Semi Rapid Burner x2 (1.75kW)		Control knob: Bakelite/ Metal	
Auxiliary Burner x1(1.0kW)		Gas type: L.PG /N.G /T.G	
Flame failure safety device option		Flame failure device: with/without	
Battery Ignition (DC 1.5V)		with Wok support	
Metal control knob Gas Type: L.P.G			

MODEL	DIMENSION (MM)			LOADING QUANTITY(PC)		
	UNIT	BUILT-IN	CARTON	40HQ	40GP	20GP
JHL.BH507S	730*475*4-R20	730*475*4-R20	730*475*4-R20	890	700	365
JHL.BH508S						
JHL.BH509S						
JHL.BH510G						
JHL.BH511G						
JHL.BH512G						



BUILT-IN HOB

4 BURNER series



MODEL: BH401G



MODEL: BH402G



MODEL: BH403G



MODEL: BH404S




MODEL: BH405S



MODEL: BH406S

FEATURE		OPTION	
S#201 stainless steel cooktop		Panel material:#201/#304 S.S	
Cast iron pan support Chinese Sabaf Burner		Pan support: Heavy Cast iron/Slim copy Cast iron /Enamel	
Triple Ring Wok Burnerx1(3.3kW)		Original Italian SABAF	
Rapid Burnerx1(2.5kW)		Burner caps: Shiny/matt enamel	
Semi Rapid Burnerx2(1.75kW)		Ignition: A.C(110V~220V)/D.C1.5V	
Auxiliary Burnerx1(1.0kW)		Control knob: Bakelite/ Metal	
Hotplate switch with 3 shifts x1(1.5/1.0kW)		Gas type: L.PG /N.G /T.G	
Flame failure safety device option		Flame failure device: with/without	
Battery Ignition (DC 1.5V)		with Wok support	
Metal control knob Gas Type: LPG/NG/TG			

MODEL	DIMENSION (MM)			LOADING QUANTITY(PC)		
	UNIT	BUILT-IN	CARTON	40HQ	40GP	20GP
JHL.BH401G	560*475*4-R20	590*510*4-R20	640*550*175	1080	850	450
JHL.BH402G						
JHL.BH403S						
JHL.BH404S						
JHL.BH405S						
JHL.BH406S						



BUILT-IN HOB

4 BURNER series



MODEL: BH407S



MODEL: BH408S



MODEL: BH409S



MODEL: BH410S




MODEL: BH411S



MODEL: BH412S

FEATURE	OPTION
S#201 stainless steel cooktop	Panel material:#201/#304 S.S
Cast iron pan support	Pan support: Heavy Cast iron/Slim copy Cast iron /Enamel
Chinese Sabaf Burner	Original Italian SABAF
Triple Ring Wok Burner x1(3.3kW)	Burner caps: Shiny/matt enamel
Rapid Burner x1(2.5kW)	Ignition: A.C(110V~220V)/D.C1.5V
Semi Rapid Burner x2 (1.75kW)	Control knob: Bakelite/ Metal
Auxiliary Burner x1(1.0kW)	Gas type: L.PG /N.G /T.G
Flame failure safety device option	Flame failure device: with/without
Battery Ignition (DC 1.5V)	with Wok support
Metal control knob Gas Type: L.P.G	

MODEL	DIMENSION (MM)			LOADING QUANTITY(PC)		
	UNIT	BUILT-IN	CARTON	40HQ	40GP	20GP
JHL.BH407S	560*475*4-R20	590*510*4-R20	640*550*175	1080	850	450
JHL.BH408S						
JHL.BH409S						
JHL.BH410S						
JHL.BH411S						
JHL.BH412S						



BUILT-IN HOB

4 BURNER series



MODEL: BH413S



MODEL: BH414SE



MODEL: BH415SE



MODEL: BH416GE




MODEL: BH417SE



MODEL: BH418SE2


FEATURE	FEATURE
S#201 stainless steel cooktop	S#201 stainless steel cooktop
Cast iron pan support	Cast iron pan support
Chinese Sabaf Burner	Chinese Sabaf Burner
Triple Ring Wok Burner x1(3.3kW)	Triple Ring Wok Burner x1(3.3kW)
Rapid Burner x1(2.5kW)	Rapid Burner x1(2.5kW)
Semi Rapid Burner x2 (1.75kW)	Semi Rapid Burner x2 (1.75kW)
Auxiliary Burner x1(1.0kW)	Auxiliary Burner x1(1.0kW)
Flame failure safety device option	Flame failure safety device option
Battery Ignition (DC 1.5V)	Battery Ignition (DC 1.5V)
Metal control knob Gas Type: L.P.G	Metal control knob Gas Type: L.P.G

MODEL	DIMENSION (MM)			LOADING QUANTITY(PC)		
	UNIT	BUILT-IN	CARTON	40HQ	40GP	20GP
JHL.BH413G	560*475*4-R20	590*510*4-R20	640*550*175	1080	850	450
JHL.BH414G						
JHL.BH415S						
JHL.BH416S						
JHL.BH417S						
JHL.BH418S						



BUILT-IN HOB

1/2 BURNER series



MODEL: BH201G



MODEL: BH202G



MODEL: BH203S




MODEL: BH204S



MODEL: BH205S

FEATURE	OPTION
Black Tempered Glass with 8mm thickness	Panel material: white /Ivory/Red Glass,7mm thickness
Cast iron pan support	Pan support: Heavy Cast iron/\$lim copy Cast iron /Enamel
Chinese Sabaf Burner	Original Italian SABAF
Triple Ring Wok Burnerx1 (3.3kW)	Burner caps: Shiny/matt enamel
Auxiliary Burnerx1(1.0kW)	Drip pan: Enamel/ S.S
Enamel drip pan	Ignition: A.C(110v-220V)/D.C1.5V
Flame failure safety device option	Control knob: Bakelite/Metal
Battery Ignition (DC 1.5V)	Gas type: L.PG/N.G/T.G
Metal control knob	Flame failure device: with /without with Wok support

MODEL	DIMENSION (MM)			LOADING QUANTITY(PC)		
	UNIT	BUILT-IN	CARTON	40HQ	40GP	20GP
JHL.BH201G	275*475*4-R20	300*510*4-R20	355*550*175	1940	1540	800
JHL.BH202G						
JHL.BH203S						
JHL.BH204S						
JHL.BH205S						



BUILT-IN HOB


4/3/5 BURNER series



JHL-BC301
7mm black color tempered glass top panel
2*powerful burner 3800W*2
1*cerammic burner 1200W
Top panel size: 780x470mm
Packing size: 800x470x210mm
1100pcs/40"HQ

JHL-BC302
7mm black color tempered glass top panel
2*powerful burner 3800W*2
1*cerammic burner 1200W
Top panel size: 900x470mm
Packing size: 640x540x138mm
710pcs/40"HQ

JHL-BC401
7mm black color tempered glass top panel
3*powerful burner 3800W,+2800W+1800W
1*cerammic burner 1200W
Top panel size: 600x520mm
Packing size: 640x540x138mm
980pcs/40"HQ



JHL-BC402
7mm black color tempered glass top panel
3*powerful burner 3800W, 1800W, 1000W
1*cerammic burner 1200W
Top panel size: 600x510mm
Packing size: 640x540x138mm
1400pcs/40"HQ

JHL-BC405
Stainless steel top panel
4*powerful burner 3800W+1800W+1000W*2
Top panel size: 600x520mm
Packing size: 640x540x138mm
980pcs/40"HQ

JHL-BC406E
7mm black color tempered glass top panel
4* ceramic cooker 1800W*2+1200W*2
Top panel size: 590x520mm
Packing size: 640x540x138mm
1350pcs/40"HQ



JHL-BC501
7mm black color tempered glass top panel, touch model
4 * Chinese sabaf burner 3800W+3000+1750+1000W
1 * ceramic burner 1200W
Top panel size: 880x520mm
Packing size: 910x545x145mm
950pcs/40"HQ

JHL-BC502
7mm black color tempered glass top panel, touch model
4 * Chinese sabaf burner 3800W+3000+1750+1000W
1 * ceramic burner 1200W
Top panel size: 880x520mm
Packing size: 910x545x145mm
950pcs/40"HQ


JHL-BC505
Stainless steel top panel
5 * Chinese sabaf burner
3800W+3000W+1750*2+1000W
Top panel size: 680x510mm
Packing size: 750x540x138mm
1100pcs/40"HQ

BUILT-IN HOB

5 BURNER series



MODEL: JHL-715E3
Excellent tempered glass cook-panel
Cast iron pan grate
Pulse ignition Safety device
N.W.: 13.5kg G.W.: 14.8kg
Top panel size: 860x510mm
Packing size: 940x550x140mm
40'HQ: 950pcs



MODEL: JHL-715E2
Excellent tempered glass cook-panel
Enameled pan grate
Pulse ignition Safety device
N.W.: 15kg G.W.: 18kg
Top panel size: 860x510mm
Packing size: 835x560x170mm
40'HQ: 840pcs



MODEL: JHL-715-8
Stainless steel cooker-panel
Iron pan grate
Pulse ignition Safety device
N.W.: 15kg G.W.: 16kg
Top panel size: 860x510mm
Packing size: 820x560x170mm
40'HQ: 855pcs



MODEL: JHL-625E1
8mm tempered glass top panel
Cast iron pan support ,
Chinese sabaf burner *3 & Ceramic cooker *1
N.W.:15kg G.W.: 16.5kg
Top panel size: 590x510mm
Packing size: 650*540*145mm
40'HQ: 1300pcs



MODEL: JHL-625
Excellent tempered glass cooker-panel
Enameled pan grate
Pulse ignition Safety device
N.W.:14kg G.W.: 15.5kg
Top panel size: 590x510mm
Packing size: 630x560x170mm
40'HQ: 1100pcs



MODEL: JHL3-60E
Excellent tempered glass cooker-panel
Electroplate grate
Automatic Electronic ignition Safety device
N.W.: 10kg G.W.: 11kg
Top panel size: 780x510mm
Packing size: 825x480x185mm
40'HQ: 928pcs



MODEL: JHL2-007G
Excellent tempered glass cooker-panel
Electroplate grate
Automatic Electronic ignition Safety device
N.W.: 7kg G.W.: 8kg
Top panel size: 730x400mm
Packing size: 745x430x180mm
40'HQ: 1010pcs



MULTI-BURNER STOVE

5 BURNER series



JHL-835GET
Brass burner cap
Electrical hot plates: 1000W*1500W
Stainless steel body
Auto ignition Tempered glass lid
Burner for more durability and efficiency
Low gas consumption
Productsize: 900x600x220mm
Packing size: 925x640x258mm
40'HQ: 430pcs

JHL-835GET3
Brass burner cap
Stainless steel body
Auto ignition
Tempered glass lid
Burner for more durability and efficiency
Low gas consumption
Productsize: 900x600x220mm
Packing size: 925x640x258mm
40'HQ: 430pcs



JHL-835GET2
Brass burnercap
Electrical hotplates: 1500W
Stainless steel body
Auto ignition Tempered glass lid
Burner for more durability and efficiency
Low gas consumption
Productsize: 900x540x220mm
Packing size: 925x575x255mm
40'HQ: 430pcs



JHL-835GET3
Brass burner cap
Stainless steel body
Auto ignition
Tempered glass lid
Burner for more durability and efficiency
Low gas consumption
Productsize: 900x600x840mm
Packing size: 925x640x258mm
40'HQ: 430pcs

MULTI-BURNER STOVE

4 / 3 BURNER series



JHL-600GET
Brass burner cap
Electrical hotplates: 1000W*1500W
Stainless steel body
Auto ignition Tempered glass lid
Burner for more durability and efficiency
Low gas consumption
Productsize: 500x540x220mm
Packing size: 615x560x250mm
40'HQ: 785pcs



JHL-620GET
Brass burner cap
Stainless steel body
Auto ignition
Tempered glass lid
Burner for more durability and efficiency
Low gas consumption
Productsize: 500x540x220mm
Packing size: 615x560x250mm
40'HQ: 785pcs



JHL-710GET
Brass burner cap
Stainless steel body
Auto ignition
Tempered glass lid
Burner for more durability and efficiency
Low gas consumption
Productsize: 600x650x220mm
Packing size: 660x680x270mm
40'HQ: 550pcs



JHL-300GET
Brass burner cap
Stainless steel body
Auto ignition
Tempered glass lid
Burner for more durability and efficiency
Low gas consumption
Productsize: 720x425x190mm
Packing size: 750x455x200mm
40'HQ: 975pcs



GAS/ELECTRIC COOKER

SAFETY PRECAUTIONS

As a commonly used kitchen appliance in our daily life, the gas stove is an essential item. On one hand, it allows us to cook without the need for a traditional open flame, significantly changing our cooking habits. Although gas stoves are frequently used nowadays, it is crucial to pay attention to their safety. We need to check for gas leaks, and most importantly, ensure proper sealing during installation. Otherwise, it can pose significant dangers in the future. Let's now delve into specific precautions for gas stove installation!

1. Careful Inspection:

When installing a gas stove, the first step is to carefully inspect the contents of the package to ensure all components are included and undamaged. If there are any issues, contact the seller promptly for resolution or replacement.

2. Verify Information:

If all components are in order, verify the product's details, including its type and whether it matches the labeling and packaging provided by the seller. This helps prevent discrepancies.

3. Size Requirements:

During installation, pay attention to the dimensions. Typically, there should be a minimum of fifteen centimeters of space between the back of the stove and the wall, and around twenty centimeters of space between the sides and the wall. Additionally, it's important to apply a fireproof layer on the wall surface, keeping it about ten centimeters away from the stove.

4. Avoid Storing Flammable Items:

Place the gas stove in a well-ventilated area, and never store any flammable items underneath it. Doing so could lead to fire hazards. Furthermore, ensure proper isolation between the kitchen and adjacent rooms to prevent gas leakage. These are some essential considerations for gas stove installation. We hope this information is helpful for everyone's safety!"

GAS/ELECTRIC COOKER

GAS/ELECTRIC COOKER 3 BURNER series



MODEL: JHL.3-T026BH4
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.5kg G.W.: 8.0kg
Product size: 760x400x130mm
Packing size: 775*423*107mm
40'HQ: 1850pcs



MODEL: JHL.3-T026BH3
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.5kg G.W.: 8.0kg
Product size: 760x400x130mm
Packing size: 775*423*107mm
40'HQ: 1850pcs



MODEL: JHL.3-T026NW
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 6.5kg G.W.: 7.0kg
Product size: 690x400x130mm
Packing size: 701*423*105mm
40'HQ: 2060pcs



MODEL: JHL.3-T026
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.5kg G.W.: 8.0kg
Product size: 690x400x150mm
Packing size: 701*423*132mm
40'HQ: 1750pcs



MODEL: JHL.3-T026NW
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.5kg G.W.: 8.0kg
Product size: 690x400x130mm
Packing size: 701*423*132mm
40'HQ: 1750pcs



MODEL: JHL.3-T026
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.5kg G.W.: 8.0kg
Product size: 690x400x150mm
Packing size: 701*423*132mm
40'HQ: 1750pcs



MODEL: JHL.3-T043S
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 6.5kg G.W.: 7.5kg
Product size: 690x400x130mm
Packing size: 701*423*105mm
40'HQ: 2250pcs



MODEL: JHL.3-T026C2
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.0kg G.W.: 7.5kg
Product size: 690x400x150mm
Packing size: 701*423*105mm
40'HQ: 2250pcs



MODEL: JHL.3-T026R
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.5kg G.W.: 8.0kg
Product size: 725x400x130mm
Packing size: 754*423*105mm
40'HQ: 2060pcs



MODEL: JHL.3-T033C
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.5kg G.W.: 8.0kg
Product size: 690x400x150mm
Packing size: 770*480*190mmmm
40'HQ: 1650pcs



MODEL: JHL.3-T026SA
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.0kg G.W.: 7.5kg
Product size: 690x400x130mm
Packing size: 701*423*105mm
40'HQ: 2250pcs



MODEL: JHL.2-T038
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 12kg G.W.: 13kg
Product size: 690x400x130mm
Packing size: 725*450*135mm
40'HQ:1650pcs



MODEL: JHL.2-T026B
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.5kg G.W.: 8.0kg
Product size: 725x400x150mm
Packing size: 754*423*105mm
40'HQ: 2060pcs



MODEL: JHL.2-T026SA
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.0kg G.W.: 7.5kg
Product size: 690x400x150mm
Packing size: 701*423*105mm
40'HQ: 2250pcs



MODEL: JHL.2-T029
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.5kg G.W.: 8.0kg
Product size: 725x400x130mm
Packing size: 701*423*132mm
40'HQ: 1750pcs



MODEL: JHL.2-T013C
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.5kg G.W.: 8.0kg
Product size: 725x400x150mm
Packing size: 701*423*132mm
40'HQ: 1750pcs



MODEL: JHL.2-T033C
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.5kg G.W.: 8.0kg
Product size: 690x400x130mm
Packing size: 701*423*132mm
40'HQ: 1750pcs



MODEL: JHL.2-T055C
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.5kg G.W.: 8.0kg
Product size: 690x400x150mm
Packing size: 701*423*132mm
40'HQ: 1750pcs

GAS/ELECTRIC COOKER

2/3 BURNER series



MODEL: JHL.2-T026L
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 6.5kg G.W.: 7.5kg
Product size: 690x400x130mm
Packing size: 701*423*132mm
40'HQ: 1750pcs

MODEL: JHL.2-T026
Excellent tempered glass cook-panel
Enameled pan grate
Auto ignition Stainless steel drip tray
N.W.: 7.0kg G.W.: 7.5kg
Product size: 690x400x150mm
Packing size: 701*423*132mm
40'HQ: 1750pcs



GAS/ELECTRIC COOKER

3/4 BURNER series



MODEL: JHL.4-L04B
Color coating stove panel
Four brass burner caps
Auto ignition G.W.: 3.75kg
Packing size: 515*470*100mm
40'HQ: 2530pcs



MODEL: JHL.4-L04
Color coating stove panel
Four enamel burner caps
Auto ignition G.W.: 3.75kg
Packing size: 515*470*100mm
40'HQ: 2530pcs



MODEL: JHL.3-L03B
Color coating stove panel
Three brass burner caps
Auto ignition G.W.: 3.53kg
Packing size: 565*315*100mm
40'HQ: 3350pcs



MODEL: JHL.3-L03
Color coating stove panel
Three enamel burner caps
Auto ignition G.W.: 3.53kg
Packing size: 565*315*100mm
40'HQ: 3350pcs



MODEL: JHL.2-L02B
Color coating stove panel
Two brass burner caps
Auto ignition G.W.: 2.3kg
Packing size: 565*315*100mm
40'HQ: 3350pcs



MODEL: JHL.2-L02
Color coating stove panel
Two enamel burner caps
Auto ignition G.W.: 2.3kg
Packing size: 565*315*100mm
40'HQ: 3350pcs

GAS/ELECTRIC COOKER



WE ONLY PRODUCE
HIGH-QUALITY
PRODUCTS



MODEL: JHL.4-L04HB
Color coating stove panel
Four brass burner caps
Auto ignition
G.W.: 6.3kg
Packing size: 570*510*175mm
40'HQ: 1350pcs

MODEL: JHL.3-T029
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 710*400*110mm
Packing size: 720*422*123mm
40'HQ: 1715pcs



MODEL: JHL.3-T024
Coated cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 710*400*95mm
Packing size: 715*410*100mm
40'HQ: 2600pcs

MODEL: JHL.3-T033
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 695*380*95mm
Packing size: 705*385*98mm
40'HQ: 2600pcs

GAS/ELECTRIC COOKER

3 BURNER series



MODEL: JHL.3-T016
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 695*380*95mm
Packing size: 705*385*98mm
40'HQ: 2600pcs

MODEL: JHL.3-T016H2
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 695*380*95mm
Packing size: 705*385*98mm
40'HQ: 2600pcs



MODEL: JHL.3-T021X
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 715*380*80mm
Packing size: 715*410*100mm
40'HQ: 2500pcs

MODEL: JHL.3-T017
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 715*380*80mm
Packing size: 720*385*85mm
40'HQ: 2600pcs



MODEL: JHL.3-T018
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 715*380*80mm
Packing size: 720*385*85mm
40'HQ: 2600pcs

MODEL: JHL.3-T018X
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 715*380*80mm
Packing size: 720*385*85mm
40'HQ: 2600pcs

GAS/ELECTRIC COOKER

2/3 BURNER series



MODEL: JHL.2-T02R
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 695*380*95mm
Packing size: 715*410*100mm
40'HQ: 2600pcs

MODEL: JHL.2-T028
Coated cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 710*380*95mm
Packing size: 715*385*98mm
40'HQ: 2600pcs



MODEL: JHL.2-T035F
Coated cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 710*380*95mm
Packing size: 715*385*98mm
40'HQ: 2600pcs

MODEL: JHL.2-T065
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 690*370*110mm
Packing size: 715*385*98mm
40'HQ: 2600pcs



As long as you have
a good stove
you can make delicious food

GAS/ELECTRIC COOKER

2 BURNER series



MODEL: JHL.2-T004
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 710*400*110mm
Packing size: 745*420*125mm
40'HQ: 1750pcs

MODEL: JHL.2-T009
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 695*380*95mm
Packing size: 715*385*98mm
40'HQ: 2600pcs



MODEL: JHL.2-T02T
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 690*370*110mm
Packing size: 715*385*98mm
40'HQ: 2600pcs

MODEL: JHL.2-T014
Coated cook-panel
Auto ignition
N.W.: 6kg G.W.: 7kg
Product size: 705*380*95mm
Packing size: 710*385*98mm
40'HQ: 2600pcs



MODEL: JHL.2-T012
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 710*380*95mm
Packing size: 720*385*98mm
40'HQ: 2600pcs

MODEL: JHL.2-T027
Stainless steel cooker-panel
Auto ignition
N.W.: 7kg G.W.: 8kg
Product size: 700*395*110mm
Packing size: 715x405x123mm
40'HQ: 1750pcs

GAS/ELECTRIC COOKER

1 BURNER series



MODEL: JHL.1-A10
Excellent tempered glass cook-panel
Auto Ignition
N.W.: 4kg G.W.: 5kg
Body size:380*300*115mm
Packing size: 373*405*130mm
40'HQ: 4290pcs

MODEL: JHL.1-A12
Excellent tempered glass cook-panel
Auto Ignition
N.W.: 4kg G.W.: 5kg
Body size:380*300*115mm
Packing size: 373*405*130mm
40'HQ: 4290pcs

MODEL: JHL.1-K1AB
Coated cooker-panel
Auto Ignition
N.W.: 4kg G.W.: 5kg
Body size:340*290*85mm
Packing size: 355*300*90mm
40'HQ: 6702pcs



MODEL: JHL.1-A10
Excellent tempered glass cook-panel
Auto Ignition
N.W.: 4kg G.W.: 5kg
Body size:380*300*115mm
Packing size: 373*405*130mm
40'HQ: 4290pcs

MODEL: JHL.1-A12
Excellent tempered glass cook-panel
Auto Ignition
N.W.: 4kg G.W.: 5kg
Body size:380*300*115mm
Packing size: 373*405*130mm
40'HQ: 4290pcs

MODEL: JHL.1-K1AB
Coated cooker-panel
Auto Ignition
N.W.: 4kg G.W.: 5kg
Body size:340*290*85mm
Packing size: 355*300*90mm
40'HQ: 6702pcs





MODEL: JHL-TS006	MODEL: JHL-TS005	MODEL: JHL-TS004
Material: Metal+glass	Material: Metal+glass	Material: Metal+glass
lighting: LED	lighting: LED	lighting: LED
Switch: Touch button	Switch: Touch button	Switch: Touch button
Filter: 2* metal filter Air outlet: 150mm	Filter: 3* metal filter Air outlet: 150mm	Filter: 3* metal filter Air outlet: 150mm
Dimension: 600mm Air flow: 700m3/h	Dimension: 600mm Air flow: 700m3/h	Dimension: 600mm Air flow: 700m3/h
Product size: 600*400*450mm	Product size: 900*400*450mm	Product size: 900*360*450mm
Packing size: 620*420*470mm	Packing size: 920*420*470mm	Packing size: 920*380*470mm
40'HQ: 510~650pcs	40'HQ: 510~650pcs	40'HQ: 510~650pcs



MODEL: JHL-SR001-90	MODEL: JHL-SR001-90	MODEL: JHL-TS004
Material: Metal+glass	Material: Metal+glass	Material: Metal+glass
lighting: LED	lighting: LED	lighting: LED
Switch: Touch button	Switch: Touch button	Switch: Touch button
Filter: 2* metal filter Air outlet: 150mm	Filter: 2* metal filter Air outlet: 150mm	Filter: 2* metal filter Air outlet: 150mm
Dimension: 600mm Air flow: 700m3/h	Dimension: 600mm Air flow: 700m3/h	Dimension: 600mm Air flow: 700m3/h
Product size: 900*430*450mm	Product size: 900*430*450mm	Product size: 900*430*450mm
Packing size: 950*510*490mm	Packing size: 950*510*490mm	Packing size: 950*510*490mm
40'HQ: 60cm: 500pcs 40'HQ: 86cm: 300pcs	40'HQ: 60cm: 500pcs 40'HQ: 86cm: 300pcs	40'HQ: 60cm: 500pcs 40'HQ: 86cm: 300pcs



MODEL: JHL-TS003-60	MODEL: JHL-TS001	MODEL: JHL-SH001
Material: Metal+glass	Material: color coating	Material: color coating
lighting . LED	lighting . halogen 2*20W	lighting . halogen 2*20W
Switch: Touch button	Switch: push button	Switch: push button
Filter: 1* metal filter Air outlet: 150mm	Filter: 2*Aluminum panels	Filter: 3*Aluminum panels
Dimension: 600mm Air flow: 700m3/h	Air outlet: 150mm Dimension 900mm	Air outlet: 150mm Dimension 900mm
Product size: 600*430*450mm	N.W.: 8kg G.W.: 10kg	N.W.: 10kg G.W.: 12kg
Packing size: 650*510*490mm	Air flow: 700m³/h	Air flow: 700m³/h
40'HQ: 610~750pcs	Product size: 600*150*510mm	Product size: 900*150*510mm
	Packing size: 640*190*550mm	Packing size: 940*190*550mm
	40'HQ: 630~920pcs	40'HQ: 700pcs



MODEL: JHL-SH002	MODEL: JHL-SH003	MODEL: JHL-SH004
Material: aisi 430	Material: metal+glass	Material: metal
lighting . halogen 2*20W	lighting . LED	lighting . LED
Switch: push button	Switch: Touch button	Switch: PUSH button
Filter: 3*Aluminum panels	Filter: 2* stainless steel filter	Filter: 2* ALUMINUM filter
Air outlet: 150mm Dimension 900mm	Air outlet: 150mm Dimension: 900mm	Air outlet: 150mm Dimension: 900mm
N.W.: 10kg G.W.: 12kg	N.W.: 10kg G.W.: 12kg	N.W.: 10kg G.W.: 12kg
Air flow: 700m³/h	Air flow: 700m3/h	Air flow: 700m3/h
Product size: 900*150*510mm	Product size: 900*150*510mm	Product size: 900*150*510mm
Packing size: 940*190*550mm	Packing size: 940*190*550mm	Packing size: 940*190*550mm
40'HQ: 700pcs	40'HQ: 90CM: 700PCS 60CM: 1200PCS	40'HQ: 90CM: 700PCS 60CM: 1200PCS



MODEL: JHL-SH005
Material: metal+glass
lighting . halogen 2*20W
Switch: TOUCH button
Filter: 2* metal filter
Air outlet: 150mm Dimension 600mm
N.W.: 10kg G.W.: 12kg
Air flow: 700m³/h
Product size: 900*150*510mm
Packing size: 940*190*550mm
40'HQ: 90CM:560PCS 76CM:650PCS

MODEL: JHL-SH006
Material: metal+glass
lighting . LED
Switch: TOUCH button
Filter: 2* stainless steel filter
Air outlet: 150mm Dimension: 600mm
N.W.: 10kg G.W.: 12kg
Air flow: 700m3/h
Product size: 900*150*510mm
Packing size: 940*190*550mm
40'HQ: 90CM:560PCS 76CM:650PCS


MODEL: JHL-SH007
Material: metal+glass
lighting . LED
Switch: TOUCH button
Filter: metal filter
Air outlet: 150mm Dimension: 600mm
N.W.: 10kg G.W.: 12kg
Air flow: 700m3/h
Product size: 900*150*510mm
Packing size: 940*190*550mm
40'HQ: 90CM:560PCS 76CM:650PCS



MODEL: JHL-SH008
Material: metal
lighting . LED
Switch: PUSH button
Filter: 2* metal filter
Air outlet: 150mm Dimension 600mm
N.W.: 8kg G.W.: 9kg
Air flow: 700m³/h
Product size: 900*150*510mm
Packing size: 940*190*550mm
40'HQ: 90CM:810PCS 60CM:1200PCS


MODEL: JHL-SR001-90
Material: Metal+glass
lighting . LED
Switch: TOUCH button
Filter: metal filter
Air outlet: 150mm Dimension: 600mm
N.W.: 15kg G.W.: 18kg
Air flow: 700m3/h
Product size: 760*410*550mm
Packing size: 885*440*580mm
40'HQ: 90CM:300PCS

MODEL: JHL-SR001-60
Material: Metal+glass
lighting . LED
Switch: TOUCH button
Filter: metal filter
Air outlet: 150mm Dimension: 600mm
N.W.: 15kg G.W.: 18kg
Air flow: 700m3/h
Product size: 600*410*550mm
Packing size: 725*440*580mm
40'HQ: 60CM:360PCS



MODEL: JHL-E006-3
Material: Stainless steel & glass
lighting . halogen 2*20W
Switch: push button
Filter: stainless steel filter
Air outlet: 150mm Dimension: 900mm
N.W.: 16kg G.W.: 18kg
Air flow: 700m³/h
Product size: 900*400*530mm
Packing size: (915+385)2x600x480mm
40'HQ: 780pcs

MODEL: JHL-E007
Material: Stainless steel & glass
lighting . halogen 2*20W
Switch: touch button
Filter: 2*Aluminum panels
Air outlet: 150mm Dimension: 900mm
N.W.: 16kg G.W.: 18kg
Air flow: 700m³/h
Product size: 900*400*530mm
Packing size: (915+385)2x600x480mm
40'HQ: 780pcs



MODEL: JHL-E006MIN
Material: Stainless steel & glass
lighting . LED 2*2W Switch: push button
Filter: Stainless steel panels
Air outlet: 150mm Dimension: 900mm
N.W.: 12kg G.W.: 14kg
Air flow: 700m3/h
Product size: 900*400*530mm
Packing size: (915+385)2x600x480mm
40'HQ: 780pcs

MODEL: JHL-E006MIN-A
Material: Stainless steel & glass
lighting . LED 2*2W Switch: push button
Filter: 2*Aluminum filter
Air outlet: 150mm Dimension: 900mm
N.W.: 12kg G.W.: 14kg
Air flow: 700m3/h
Product size: 900*400*530mm
Packing size: (915+385)2x600x480mm
40'HQ: 780pcs



CONTACT US



Erly Ho

+86-137 9461 1038 (Wechat & WhatsApp)
314535644
erly@sdjhl.com 314535644@qq.com



Susan Siu

+86-150 2422 2391 (Wechat & WhatsApp)
450247046
sharon@sdjhl.com susansiu@qq.com



YOYO Lee

+86-150 1550 6105 (Wechat & WhatsApp)
574954632
serena@sdjhl.com 574954632@qq.com



ALEX Law

+86-139 2484 8024 (Wechat & WhatsApp)
448935619
Alex@sdjhl.com

